

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	1	"20040268071"	US-PGPUB; USPAT	OR	ON	2005/12/15 15:43
S2	1459	711/205-208.ccls.	US-PGPUB; USPAT	OR	ON	2005/06/26 15:24
S3	1733	711/163,145.ccls.	US-PGPUB; USPAT	OR	ON	2005/06/26 15:25
S4	3095	S2 or S3	US-PGPUB; USPAT	OR	ON	2005/06/26 15:25
S5	111	tib near3 lock\$3	US-PGPUB; USPAT	OR	ON	2005/09/20 09:31
S6	42	S4 and S5	US-PGPUB; USPAT	OR	ON	2005/06/26 15:25
S7	32	S2 and S5	US-PGPUB; USPAT	OR	ON	2005/06/26 15:25
S8	24	tib adj lock\$3	US-PGPUB; USPAT	OR	ON	2005/06/26 15:26
S9	14	S6 and S8	US-PGPUB; USPAT	OR	ON	2005/06/26 15:57
S10	1	tib adj pollution	US-PGPUB; USPAT	OR	ON	2005/06/26 15:32
S11	2	tib adj pollution	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/06/26 15:32
S13	70	tib.ab. and tib.ti.	US-PGPUB; USPAT	OR	ON	2005/06/26 16:31
S14	54	tib.ab. and tib.ti. and tib.clm.	US-PGPUB; USPAT	OR	ON	2005/06/26 16:36
S15	0	tib near2 lock\$3 near6 period	US-PGPUB; USPAT	OR	ON	2005/06/26 16:31
S16	111	tib near3 lock\$3	US-PGPUB; USPAT	OR	ON	2005/06/27 07:51
S17	8	S16 and S14	US-PGPUB; USPAT	OR	ON	2005/06/26 16:32
S19	106	tib.ab. and tib.ti.	USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/06/26 16:37
S21	12	unique near page near access\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/06/26 16:55
S22	5	page adj2 usage adj2 counter	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/06/26 17:18
S23	1	tib near lock\$3 near5 (page adj2 usage)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/06/26 17:19
S24	1	tib near lock\$3 with (page adj2 usage)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/06/27 07:16
S25	1	tib near lock\$3 with (metric or chart or graph)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/06/26 17:20
S26	2	tib with lock\$3 with (metric or chart or graph)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/06/26 17:21
S27	244	tib with lock\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/06/26 17:21

S28	1	tlb with lock\$3 with (mr <u>u</u> or (most adj recently) or (most adj commonly) or mcu)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/06/26 17:31
S29	1	tlb with lock\$3 same (mr <u>u</u> or (most adj recently) or (most adj commonly) or mcu)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/06/26 17:31
S30	5	tlb same lock\$3 same (mr <u>u</u> or (most adj recently) or (most adj commonly) or mcu)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/06/26 17:31
S31	1	tlb near2 lock\$3 with (priority)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/06/27 07:21
S32	40	frequency near2 invocation	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/06/27 07:18
S33	1	(tlb near2 lock\$3) and S32	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/06/27 07:18
S34	2	tlb and S32	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/06/27 07:18
S35	2	tlb with lock\$3 with (priority)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/06/27 07:20
S36	1	tlb with lock\$3 with invocation	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/06/27 07:21
S37	1	tlb with lock\$3 and (frequenc\$3 near3 invocation)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/06/27 07:22
S38	0	(tlb near3 lock\$3) with "based on"	US-PGPUB; USPAT	OR	ON	2005/06/27 07:52
S39	0	(tlb near3 lock\$3) with "based on"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/06/27 07:52
S40	12	(tlb near3 lock\$3) with based	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/06/27 07:52
S41	591	amplif\$4 near3 communication adj signal	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/06/27 08:16
S42	649	tlb and sram	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/06/27 08:10

S43	1	S41 and S42	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/06/27 08:10
S44	1	S41 and tlb	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/06/27 08:10
S45	6	S41 and sram	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/06/27 08:11
S46	378	amplif\$4 near5 signal and tlb	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/06/27 08:17
S47	149	S46 and processor	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/06/27 08:17
S48	77	S47 and sram	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/06/27 08:17
S49	67	tlb adj2 lock\$3	US-PGPUB; USPAT	OR	ON	2005/09/20 09:37
S50	2	page adj usage adj metric	US-PGPUB; USPAT	OR	ON	2005/09/20 09:37
S52	2	(memory adj access adj pattern) near3 compar\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/09/20 10:02
S53	2	"5761426".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/09/20 10:03
S54	2	"5761426".pn. and compar\$3 near3 pattern	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/09/20 10:03
S55	555	(stride or pattern or sequence) with (page near2 access\$4)	US-PGPUB; USPAT	OR	ON	2005/12/14 17:58
S56	4062	(translation adj look adj aside) or tlb	US-PGPUB; USPAT	OR	ON	2005/12/14 17:59
S57	2	page adj usage adj metric	US-PGPUB; USPAT	OR	ON	2005/12/14 17:59
S58	18	S55 same S56	US-PGPUB; USPAT	OR	ON	2005/12/14 18:17
S59	164	page adj usage	US-PGPUB; USPAT	OR	ON	2005/12/14 17:59
S60	0	S58 same S59	US-PGPUB; USPAT	OR	ON	2005/12/14 17:59
S61	19	S58 and S5	US-PGPUB; USPAT	OR	ON	2005/12/14 17:59
S62	0	S58 and S59	US-PGPUB; USPAT	OR	ON	2005/12/14 17:59
S63	179	lock\$4 with ((translation adj look adj aside) or tlb)	US-PGPUB; USPAT	OR	ON	2005/12/15 15:10
S64	9	count\$4 with (page adj usage)	US-PGPUB; USPAT	OR	ON	2005/12/15 16:48
S65	1	S63 and S64	US-PGPUB; USPAT	OR	ON	2005/12/14 18:24
S66	1905	711/163, 205-208,145.ccls.	US-PGPUB; USPAT	OR	ON	2005/12/14 18:24

S67	256	lock\$4 with ((translation adj look adj aside) or tlb)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/12/14 18:27
S68	20	S66 and S67	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/12/14 18:25
S69	7	(compar\$4 or match\$4 or equat\$4 or relat\$4) near7 (page adj usage)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/12/14 18:26
S70	2	S69 and ((translation adj look adj aside) or tlb)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/12/14 18:27
S71	1	S68 and S70	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/12/14 18:27
S74	95000	(hit or access or use) near4 (ratio or counter or number)	US-PGPUB; USPAT	OR	ON	2005/12/15 14:05
S75	5014	(compar\$4 or match\$4 or equat\$4 or relat\$4) near7 S74	US-PGPUB; USPAT	OR	ON	2005/12/15 14:06
S76	618	"711"/\$.ccls. and S75	US-PGPUB; USPAT	OR	ON	2005/12/15 14:05
S78	3385	711/163,205-208,145.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/12/15 14:05
S79	95000	(hit or access or use) near4 (ratio or counter or number)	US-PGPUB; USPAT	OR	ON	2005/12/15 15:08
S80	5014	(compar\$4 or match\$4 or equat\$4 or relat\$4) near7 S79	US-PGPUB; USPAT	OR	ON	2005/12/15 15:08
S81	3385	711/163,205-208,145.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/12/15 15:08
S82	111	S80 and S81	US-PGPUB; USPAT	OR	ON	2005/12/15 15:08
S83	40	S82 and ((translation adj look adj aside) or tlb)	US-PGPUB; USPAT	OR	ON	2005/12/15 16:51
S84	3327	(lock\$4 or fix\$4 or sav\$4 or stor\$4 or buffer\$4 or writs\$4 or cop\$4) with ((translation adj look adj aside) or tlb)	US-PGPUB; USPAT	OR	ON	2005/12/15 15:52
S85	122	S80 and S84	US-PGPUB; USPAT	OR	ON	2005/12/15 15:19
S86	39	S81 and S85	US-PGPUB; USPAT	OR	ON	2005/12/15 15:23
S87	1464	(page or bank or block or row) near3 (usage or access or hit or use) near3 (metric or ratio or pattern or counter)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/12/15 15:45
S88	3	S84 same S87	US-PGPUB; USPAT	OR	ON	2005/12/15 15:53
S89	39	S84 and S87	US-PGPUB; USPAT	OR	ON	2005/12/15 15:53
S90	4	tlb with (page adj usage)	US-PGPUB; USPAT	OR	ON	2005/12/15 16:49
S91	0	tlb with (page adj usage)	USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/12/15 16:49
S92	1464	(page or bank or block or row) near3 (usage or access or hit or use) near3 (metric or ratio or pattern or counter)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/12/15 16:50

S93	43	S92 and ((translation adj look adj aside) or tlb)		US-PGPUB; USPAT	OR	ON	2005/12/15 16:51
S94	5	S92 same ((translation adj look adj aside) or tlb)		US-PGPUB; USPAT	OR	ON	2005/12/15 16:51
S95	74	lock\$4 with (tlb near2 entr\$3)		US-PGPUB; USPAT	OR	ON	2005/12/15 18:24
S96	3	(bas\$2 or depend\$3 or result\$3) with S95		US-PGPUB; USPAT	OR	ON	2005/12/15 18:24
S97	20	(compar\$4 or equat\$4 or match\$4) same S95		US-PGPUB; USPAT	OR	ON	2005/12/15 18:29
S98	584	(lock\$4 or secur\$3 or fix\$3) with tlb		US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/12/15 18:24
S99	77	(bas\$2 or depend\$3 or result\$3) with S98		US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/12/15 18:25
S10 0	19	(compar\$4 or equat\$4 or match\$4) with S99		US-PGPUB; USPAT	OR	ON	2005/12/16 10:10
S10 1	1	"20020073282"		US-PGPUB; USPAT	OR	ON	2005/12/16 10:10